Journal of Geophysical Research – Solid Earth

Supporting Information for:

Tectonic inheritance with dipping faults and deformation fabric in the brittle and ductile southern California crust

Vera Schulte-Pelkum[1,2], Zachary E. Ross[3], Karl Mueller[2], Yehuda Ben-Zion[4]

[1]Cooperative Institute for Research in Environmental Sciences (CIRES), University of Colorado, Boulder, Colorado, USA
[2]Department of Geological Sciences, University of Colorado, Boulder, Colorado, USA
[3]Seismological Laboratory, California Institute of Technology, Pasadena, California, USA
[4]Department of Earth Sciences, University of Southern California, Los Angeles, USA

Contents

This file contains 4 supplemental figures with captions and one table.

Figure S1 shows a long seismicity profile running SE – NW with a change in the depth of the brittle-ductile transition.

Figure S2 shows a map with the location of a series of closely spaced profiles across the Southern San Andreas Fault. Fig. S3 shows seismicity profiles for those lines.

Figure S4 show additional example stations for receiver function analysis.

Table S1 contains A1 peak solutions for all stations.



Figure S1: (Top) Map of seismicity as in main text, but with long profile named 'BDT' (brittle-ductile transition) added. (Middle) Seismicity along profile BDT from SCSN catalog (Hauksson et al., 2007 and updates). (Bottom) Seismicity along same profile from QTM catalog (Ross et al., 2019), which has a lower magnitude completeness threshold.



Figure S2: Location and seismicity map for a series of closely spaced profiles (blue) across the Southern San Andreas fault (black lines), near the eastern shore of the Salton Sea. Depth profiles are shown in Fig. S3. Profile spacing varies between 2-3 km.



Figure S3 a. Seismicity depth profile for the northernmost blue line in Fig. S2. Red line is the vertical projection of the surface trace of the San Andreas Fault as in Lin et al., 2007 (which is nearly identical to the fault trace close to the shore in Fig. S2). Left is southwestern end of the profile, right is northeastern end. Seismicity is shown within 3 km distance on either side of the profile line (some amount of overlap between profiles).



Figure S3 b. As in Fig. 3a, but second profile from the north.



Figure S3 c. As in Fig. 3a, but third profile from the north.



Figure S3 d. As in Fig. 3a, but fourth profile from the north.



Figure S3 e. As in Fig. 3a, but fifth profile from the north.



Figure S3 f. As in Fig. 3a, but sixth profile from the north.



Figure S3 g. As in Fig. 3a, but seventh profile from the north.



Figure S3 h. As in Fig. 3a, but eighth profile from the north.



Figure S3 i. As in Fig. 3a, but ninth profile from the north.



Figure S4 a. As in Fig. 3 in the main text, but for station MSC marked in Fig. 4.



Figure S4 b. As in Fig. 3 in the main text, but for station NSS2 marked in Fig. 4.



Figure S4 c. As in Fig. 3 in the main text, but for station CTC marked in Fig. 4.



Figure S4 d. As in Fig. 3 in the main text, but for station CRY marked in Fig. 4.



Figure S4 e. As in Fig. 3 in the main text, but for station WMC marked in Fig. 4.



Figure S4 f. As in Fig. 3 in the main text, but for station TRO marked in Fig. 4.



Figure S4 g. As in Fig. 3 in the main text, but for station PLM marked in Fig. 4.



Figure S4 h. As in Fig. 3 in the main text, but for station JEM marked in Fig. 4.



Figure S4 h. As in Fig. 3 in the main text, but for station JEM marked in Fig. 4.



Figure S4 i. As in Fig. 3 in the main text, but for station A13, one of the stations in the Salton Sea temporary dense linear deployment.



Figure S4 j. As in Fig. 3 in the main text, but for station A14, one of the stations in the Salton Sea temporary dense linear deployment adjacent to station A13 shown in Fig. S4 i, with a maximum A1 arrival with similar strike to that of A13 but different depth.

Table S1. Maximum A1 arrival at each station. Columns are: 1- station code, 2 – station latitude (deg), 3 – station longitude (deg), 4 –A1 arrival time (s), 5 – A1 amplitude (H./Z), 6 – bootstrap uncertainty maximum A1 amplitude, 7 – bootstrap uncertainty A1 minimum amplitude, 8 – A1 phase (= strike + 90, in deg), 8 – bootstrap uncertainty maximum phase, 9 – bootstrap uncertainty minimum phase, 10 – maximum azimuthal gap (deg), 11 – number of traces, 13 – station elevation (m), 14 – A1 depth (km).

1	2	3	4	5	6	7	8	9	10	11	12	13	14
ADO	34.5505	-117.4339	1.11	0.284	0.402	0.184	68.4	78.8	58.0	57.5	61	908	8.0
AGA	33.6384	-116.4011	4.16	0.071	0.108	0.034	-148.7	-137.7	-159.7	41.0	103	809	37.2
ARV	35.1269	-118.8301	0.76	0.609	0.643	0.586	-42.7	-41.4	-44.0	19.0	870	258	3.8
AVM	35.0656	-116.6155	1.29	0.267	0.713	0.095	13.2	40.3	-13.8	80.0	23	709	9.1
BAR	32.6800	-116.6721	0.70	0.096	0.153	0.063	42.5	50.3	34.8	35.4	136	529	5.7
BBS	33.9214	-116.9806	3.11	0.283	0.398	0.195	47.7	60.5	34.8	71.5	58	785	24.0
BCC	33.5751	-117.2612	0.64	0.175	0.250	0.067	57.4	69.9	44.9	76.6	19	391	4.2
BOR	33.2682	-116.4172	2.99	0.135	0.162	0.110	-104.3	-99.7	-109.0	38.3	143	252	24.3
BTC	33.0121	-115.2199	1.11	0.344	0.505	0.270	-159.0	-152.2	-165.8	65.0	75	39	0.4
BTP	34.6822	-118.5740	0.82	0.125	0.158	0.098	60.1	66.3	53.9	25.4	275	1702	4.4
CAP	33.3882	-117.1949	1.93	0.094	0.163	0.051	33.2	42.4	24.1	46.2	192	285	17.0
CAR	35.3082	-119.8458	1.52	0.243	0.282	0.216	54.6	57.3	52.0	29.4	543	765	8.5
CHF	34.3334	-118.0258	1.93	0.200	0.235	0.165	17.5	21.5	13.5	16.9	249	1594	14.2
CHN	33.9988	-117.6804	0.70	0.493	0.568	0.440	-46.9	-43.2	-50.7	63.0	134	208	1.6
CLC	35.8157	-117.5975	1.29	0.143	0.186	0.107	41.5	46.9	36.2	28.0	221	775	8.7
CRR	32.8868	-115.9692	1.17	0.232	0.288	0.188	83.0	88.8	77.2	35.1	183	66	8.6
CTC	33.6552	-115.9901	2.34	0.292	0.327	0.258	41.7	43.8	39.6	30.5	176	538	17.8
DEV	33.9360	-116.5779	0.76	0.144	0.226	0.084	2.3	17.9	-13.3	52.7	108	337	4.9
DGR	33.6500	-117.0095	0.64	0.108	0.150	0.076	22.2	28.0	16.4	35.3	209	650	4.7
DJJ	34.1062	-118.4550	1.58	0.135	0.177	0.105	178.6	183.8	173.5	51.4	129	268	11.9
DPP	32.9989	-116.9419	0.12	0.086	0.159	0.036	-62.5	-39.5	-85.5	36.5	119	463	0.5
DSN5	34.1714	-118.1852	0.82	0.134	0.191	0.088	22.9	33.6	12.3	33.4	131	341	5.8
DSN6	34.1714	-118.1852	3.34	0.134	0.162	0.106	-31.8	-26.6	-37.0	22.4	193	341	28.1
DTP	35.2674	-117.8458	1.52	0.120	0.158	0.088	148.1	158.6	137.6	42.5	57	908	10.4
DZA	32.6066	-116.7748	1.58	0.108	0.180	0.056	30.2	46.5	14.0	75.6	24	555	13.0
EDW	34.8830	-117.9911	1.76	0.446	0.968	0.036	31.5	79.2	-16.3	90.0	21	789	12.7
EML	32.8908	-116.8457	1.46	0.119	0.171	0.088	82.2	92.4	72.0	36.3	172	161	13.0
ERR	33.1167	-115.8227	0.06	0.049	0.281	0.022	49.6	123.4	-24.3	73.2	16	-56	0.1
FOX2	34.7339	-118.2405	3.63	0.362	0.399	0.327	158.4	161.3	155.4	25.7	216	720	29.3
GATR	34.5527	-120.5023	0.59	0.322	0.370	0.273	139.9	146.4	133.3	34.5	171	590	0.1
GMA	34.2915	-116.3826	1.70	0.118	0.157	0.080	64.1	69.7	58.5	19.8	189	848	13.2
GOR	33.1537	-117.2292	1.70	0.174	0.300	0.061	30.4	41.2	19.7	55.6	119	138	14.8
HDH	34.7753	-118.6400	0.53	0.477	0.615	0.349	17.6	23.0	12.1	63.7	31	965	2.5
HLL	34.1764	-118.3597	0.23	0.428	0.939	0.267	-134.9	-123.2	-146.6	78.1	24	193	0.0
HMT2	33.7081	-117.0015	1.11	0.093	0.118	0.065	43.4	51.9	34.8	16.6	234	593	8.6
IBP	32.6612	-116.0929	0.12	0.168	0.309	0.096	-100.6	-76.7	-124.4	87.7	30	879	-0.1

IDO	33.7968	-116.2215	0.76	0.238	0.263	0.210	169.5	172.8	166.3	18.4	388	469	4.0
IKP	32.6501	-116.1095	3.57	0.137	0.164	0.110	-96.4	-90.8	-102.0	43.8	95	906	27.1
IMP	32.9015	-115.5607	0.23	0.441	1.091	0.029	-137.6	-100.3	-174.8	67.8	28	-27	0.0
JCS	33.0859	-116.5959	4.34	0.140	0.170	0.117	-96.2	-91.8	-100.7	28.0	147	1264	37.1
JEM	33.0810	-116.5975	0.82	0.171	0.203	0.136	41.4	45.7	37.0	25.6	336	1308	5.6
JRC2	35.9825	-117.8089	1.41	0.303	0.350	0.251	37.8	41.0	34.7	41.8	256	1469	10.1
JTH	34.1264	-116.0378	0.41	0.281	0.340	0.212	18.8	25.2	12.4	36.4	87	606	2.3
JVA	34.3662	-116.6127	1.41	0.187	0.246	0.116	19.8	28.0	11.7	30.9	185	904	10.9
KYV	33.9254	-116.1734	1.41	0.213	0.260	0.155	30.2	33.9	26.5	27.4	148	1498	9.3
LDF	35.1307	-115.1842	0.41	0.149	0.183	0.113	38.6	44.4	32.7	22.5	291	1239	1.8
LJR	34.8076	-118.8678	4.75	0.153	0.169	0.133	-132.7	-130.2	-135.3	9.7	852	1443	39.6
LKL	34.6159	-117.8249	3.81	0.122	0.179	0.082	175.6	183.6	167.6	50.0	49	810	32.2
LMR2	34.9344	-117.6963	2.05	0.123	0.152	0.102	32.9	36.2	29.6	37.3	267	964	14.8
LPC	34.3148	-117.5464	1.58	0.212	0.234	0.182	24.3	26.8	21.7	19.9	412	1351	12.1
MGE	33.8184	-116.3687	1.82	0.184	0.311	0.092	-131.0	-115.3	-146.7	52.3	69	68	1.7
MLAC	37.6302	-118.8361	1.64	0.704	0.823	0.607	-6.0	-2.1	-9.8	49.6	145	2162	11.4
MLS	34.0046	-117.5616	4.34	0.134	0.169	0.099	-100.3	-91.9	-108.6	57.6	59	230	38.4
MPI	34.8126	-119.1453	0.70	0.143	0.187	0.097	155.4	165.5	145.4	43.2	103	2673	2.5
MSC	34.0385	-116.6479	1.64	0.146	0.173	0.119	45.9	49.7	42.1	27.8	241	938	12.1
MSJ	33.8080	-116.9679	1.93	0.374	0.484	0.286	-2.7	6.5	-11.9	78.1	71	466	13.8
MTG	33.1992	-116.6473	0.64	0.149	0.203	0.109	-46.4	-39.9	-52.9	43.9	134	1092	4.1
MTP	35.4843	-115.5532	4.98	0.089	0.226	0.009	-129.9	-101.8	-158.1	60.9	53	1588	42.6
MUR	33.6000	-117.1954	2.17	0.117	0.138	0.104	42.6	45.0	40.2	14.2	838	562	18.1
MWC	34.2236	-118.0583	2.46	0.258	0.295	0.222	25.0	27.1	22.9	31.8	219	1725	18.9
NBS	34.7803	-116.5580	4.10	0.133	0.164	0.112	-165.3	-159.8	-170.8	34.5	144	590	33.8
NCH	34.2388	-117.6585	6.80	0.438	0.574	0.293	-137.2	-130.3	-144.1	61.9	27	1312	62.2
NEE2	34.7676	-114.6188	3.34	0.085	0.093	0.075	-132.4	-129.6	-135.1	17.3	779	271	26.6
NJQ	34.5341	-120.1774	0.94	0.117	0.192	0.050	-12.1	5.5	-29.6	46.7	100	219	2.8
NSS2	33.5555	-115.9459	0.64	0.836	0.918	0.762	-134.2	-132.8	-135.7	16.4	449	17	0.3
OAT	34.3436	-118.6144	0.59	0.506	0.561	0.445	-130.3	-128.1	-132.4	59.8	145	1089	1.3
OLI	33.9454	-117.9237	0.29	0.254	0.328	0.187	-31.1	-21.1	-41.1	32.9	86	162	0.2
OLP	32.6077	-116.9302	0.76	0.109	0.161	0.062	49.3	59.3	39.3	38.3	100	159	6.2
PALA	33.3890	-117.0318	0.41	0.208	0.235	0.185	18.8	21.9	15.7	26.0	142	552	2.4
PAS	34.1484	-118.1712	0.94	0.110	0.140	0.082	-15.6	-7.1	-24.1	25.7	199	314	6.9
PASC	34.1714	-118.1852	3.34	0.103	0.117	0.091	-27.5	-24.5	-30.5	20.6	639	341	28.1
PDE	34.4420	-118.5822	0.94	0.290	0.357	0.228	-132.7	-125.5	-139.9	64.5	48	328	3.9
PDU	34.1207	-117.6381	0.88	0.094	0.117	0.068	-21.5	-12.0	-31.1	21.8	262	445	6.4
PER	33.8616	-117.2053	1.70	0.068	0.101	0.037	68.9	85.2	52.6	36.9	106	468	14.2
PHL	35.4077	-120.5456	1.11	0.090	0.124	0.063	45.5	50.8	40.1	34.6	139	355	6.1
PLC	33.8244	-116.5119	6.39	0.224	0.309	0.140	-146.9	-136.6	-157.1	51.0	37	130	58.9
PLM	33.3536	-116.8626	2.46	0.202	0.241	0.177	17.0	20.6	13.3	27.8	267	1691	19.7
PLS	33.7953	-117.6091	2.29	0.191	0.291	0.130	40.4	46.9	33.9	64.4	110	1199	18.4
PMD	33.6479	-116.3777	1.29	0.059	0.131	0.016	-6.0	33.4	-45.4	66.4	71	296	10.7
POB2	33.6871	-116.9238	0.76	0.226	0.308	0.171	42.8	47.5	38.2	21.2	104	999	5.3

PSD	33.8239	-116.5503	3.63	0.124	0.134	0.112	-101.5	-98.7	-104.3	14.0	554	144	30.9
PSR	34.0918	-117.8071	0.41	0.152	0.171	0.137	-69.1	-65.4	-72.8	14.1	738	305	2.3
RAG	34.6829	-116.1514	1.23	0.092	0.198	0.043	16.9	32.7	1.2	43.9	152	722	8.4
RHC2	34.0009	-118.0133	1.05	0.366	0.458	0.252	-152.3	-146.2	-158.4	63.2	122	362	1.9
RIO	34.1047	-117.9796	1.88	0.315	0.797	0.045	-88.9	-61.9	-116.0	73.9	22	118	9.7
RKMO	33.6742	-117.6095	1.52	0.257	0.301	0.227	43.2	46.0	40.4	19.6	245	408	9.9
RPV	33.7435	-118.4041	2.05	0.218	0.258	0.185	50.7	55.2	46.2	36.2	188	107	12.0
RSS	33.9733	-117.3267	1.52	0.136	0.227	0.074	126.0	135.9	116.2	64.8	70	298	12.9
RUN	32.9722	-114.9781	1.70	0.277	0.314	0.241	16.3	20.4	12.2	37.8	152	116	12.9
RUS	34.0508	-118.0808	1.64	0.493	0.596	0.358	-130.3	-126.1	-134.5	64.1	46	70	8.4
RVR	33.9935	-117.3755	1.88	0.080	0.123	0.054	43.5	58.1	28.9	33.7	231	266	16.0
RXH	33.1831	-115.6226	0.23	0.141	0.160	0.117	143.9	148.6	139.3	31.5	199	-59	0.1
SAL	33.2801	-115.9858	0.88	0.189	0.246	0.129	47.9	56.0	39.9	38.6	113	14	0.5
SBB2	34.6884	-117.8242	1.70	0.148	0.212	0.089	44.7	53.5	36.0	38.3	117	825	13.5
SBI	33.4805	-119.0299	6.50	0.158	0.184	0.131	80.9	85.8	75.9	38.5	191	41	58.9
SBPX	34.2324	-117.2348	2.29	0.178	0.215	0.151	45.4	50.1	40.7	33.0	219	1860	16.9
SCI2	32.9799	-118.5470	1.58	0.226	0.279	0.175	86.0	91.5	80.5	27.0	308	486	11.0
SCZ2	33.9954	-119.6351	0.88	0.228	0.261	0.193	28.7	31.9	25.5	12.6	665	440	-0.1
SDD	33.5526	-117.6617	6.04	0.243	0.305	0.174	26.6	32.0	21.2	44.2	131	120	46.2
SDG	32.7840	-117.1380	1.99	0.168	0.251	0.086	48.3	55.8	40.8	30.8	146	101	16.7
SDR	32.7356	-116.9424	0.88	0.075	0.153	0.008	64.9	90.7	39.2	32.1	119	113	7.5
SES	34.4369	-119.1375	0.82	0.275	0.334	0.215	139.4	146.0	132.8	52.7	109	480	2.3
SGL	32.6493	-115.7264	0.88	0.304	0.364	0.257	81.2	84.9	77.4	23.0	279	75	1.3
SLA	35.8909	-117.2833	1.29	0.154	0.179	0.122	56.7	59.8	53.6	43.6	237	1174	9.3
SLB	33.4852	-115.8664	0.06	0.118	0.201	0.068	68.7	83.2	54.3	36.7	336	0	0.0
SLH	33.1927	-116.2540	3.34	0.190	0.229	0.154	-77.2	-71.4	-83.0	23.3	238	208	27.6
SLR	33.8336	-116.7974	1.82	0.132	0.202	0.067	32.2	38.3	26.2	34.9	175	1567	14.5
SMF2	34.0220	-118.4463	4.69	0.231	0.296	0.160	-6.0	2.8	-14.9	47.3	43	53	31.2
SMI	34.0382	-120.3513	1.41	0.154	0.253	0.074	-1.3	8.7	-11.4	39.6	116	165	3.8
SMR	35.3770	-120.6125	0.94	0.178	0.204	0.145	-142.2	-137.9	-146.4	61.4	147	341	5.0
SMS	34.0144	-118.4562	1.23	0.271	0.381	0.193	8.8	21.8	-4.1	86.0	37	43	1.8
SMW	35.0111	-120.4100	1.35	0.136	0.189	0.096	48.1	54.9	41.3	18.2	150	169	8.0
SNO	34.0351	-116.8078	4.39	0.151	0.192	0.113	-104.4	-98.9	-110.0	17.7	259	2339	35.9
SNR	32.8619	-115.4360	0.06	0.172	0.642	0.046	145.4	193.2	97.7	62.6	24	-63	0.1
SOF	33.3705	-117.5574	2.87	0.208	0.309	0.132	79.4	88.3	70.5	58.0	35	10	21.1
SPF	34.0593	-118.6461	0.76	0.513	0.577	0.460	146.3	149.0	143.6	35.2	237	470	4.9
SPG	36.1355	-118.8110	4.92	0.080	0.104	0.062	-104.4	-98.0	-110.8	24.7	203	314	42.0
SPG2	36.2006	-118.7662	1.88	0.109	0.181	0.058	27.3	37.5	17.2	73.0	71	627	15.2
SRI	33.9787	-120.0789	3.81	0.166	0.229	0.111	-3.0	5.9	-11.8	66.7	97	392	32.5
SRN	33.8285	-117.7894	4.86	0.187	0.216	0.150	-138.4	-133.5	-143.4	40.9	170	208	36.8
SRT	35.6923	-117.7505	1.00	0.353	0.405	0.297	-69.4	-63.8	-75.0	29.5	168	667	7.2
STC	34.3030	-119.1868	5.86	0.299	0.617	0.084	116.2	143.4	89.0	73.9	30	180	47.4
STG	33.6640	-117.7686	2.46	0.179	0.212	0.146	13.3	19.6	6.9	51.1	131	49	12.6
SVD	34.1065	-117.0982	0.23	0.149	0.193	0.120	-139.7	-127.3	-152.0	28.0	129	605	0.9

SWP	32.7918	-116.0972	1.35	0.265	0.451	0.129	42.4	50.5	34.2	59.3	47	265	9.9
SYN	34.6072	-120.0696	0.64	0.197	0.291	0.124	-12.6	2.5	-27.7	59.7	100	201	2.5
SYP	34.5277	-119.9783	0.70	0.209	0.287	0.154	5.5	13.8	-2.8	38.0	129	1278	1.6
TA2	34.3820	-117.6782	3.46	0.267	0.300	0.230	169.4	173.1	165.7	21.6	168	2249	27.1
TEH	35.2913	-118.4208	2.58	0.098	0.114	0.082	38.3	43.0	33.5	26.1	276	846	20.6
TFT	35.1459	-119.4195	2.05	0.175	0.417	0.044	46.9	81.1	12.7	77.0	49	233	11.8
THM	33.6507	-116.0773	0.64	0.452	0.650	0.282	-147.6	-140.4	-154.7	62.9	86	60	0.2
THX	33.6349	-116.1640	0.06	0.188	0.390	0.042	-57.2	-31.5	-82.8	51.9	44	-31	0.0
TOR	33.5753	-116.2258	3.34	0.169	0.187	0.148	-68.3	-64.9	-71.7	19.4	291	4	16.6
TOV	34.1561	-118.8204	1.58	0.133	0.172	0.108	1.5	8.1	-5.1	33.9	181	298	7.3
TOW2	35.8086	-117.7649	1.17	0.270	0.320	0.228	-142.7	-138.4	-146.9	36.6	123	685	8.9
TPO	34.8788	-118.2286	2.93	0.103	0.133	0.078	-37.3	-30.2	-44.4	22.2	149	769	22.6
VCS	34.4837	-118.1178	1.64	0.085	0.130	0.047	9.9	18.6	1.3	32.3	223	992	11.8
VOG	36.3210	-119.3823	5.39	0.235	0.301	0.184	-135.6	-131.3	-140.0	55.7	157	90	45.9
VTV	34.5606	-117.3296	1.23	0.146	0.221	0.096	82.9	92.5	73.2	32.7	109	843	9.5
WAS2	35.7377	-118.5574	2.64	0.103	0.121	0.083	98.3	105.2	91.4	29.2	158	1828	19.6
WBS	35.5366	-118.1404	5.98	0.132	0.155	0.109	115.7	120.5	110.9	42.2	241	1927	52.3
WCS2	36.0252	-117.7653	0.94	0.295	0.328	0.255	-40.1	-36.9	-43.3	22.6	317	1143	6.0
WES	32.7590	-115.7316	0.06	0.169	0.509	0.027	-78.8	-44.2	-113.4	70.6	45	-8	0.0
WGR	34.5108	-119.2741	0.88	0.163	0.195	0.129	169.5	175.5	163.5	45.3	192	554	3.3
WHF	35.6951	-118.3518	4.51	0.132	0.166	0.102	-81.3	-75.1	-87.6	24.5	143	859	36.7
WLH2	36.1521	-118.3132	4.98	0.180	0.205	0.164	-95.5	-92.4	-98.7	16.6	243	2672	39.4
WMF	36.1176	-117.8549	1.11	0.170	0.339	0.068	-43.4	-23.8	-62.9	74.8	16	1537	6.2
WOR	35.6956	-118.2425	4.45	0.110	0.134	0.086	-104.4	-99.8	-109.0	20.6	243	795	36.7
WRC2	35.9479	-117.6504	1.58	0.156	0.188	0.127	-18.7	-10.3	-27.1	54.7	147	943	11.8
WSS	34.1717	-118.6497	1.00	0.275	0.371	0.204	105.2	116.1	94.3	52.0	50	316	2.3
WTT2	33.9487	-118.2554	3.63	0.205	0.332	0.122	-100.5	-93.1	-107.8	57.8	38	37	16.7
WWC	33.9407	-116.4088	3.75	0.106	0.133	0.077	-60.4	-55.9	-65.0	38.1	134	619	29.6
WWF	33.2788	-115.5789	0.41	0.130	0.293	0.031	-94.4	-61.8	-127.1	54.6	89	-61	0.1
YUH2	32.6475	-115.9223	0.70	0.148	0.220	0.091	60.2	67.0	53.4	17.7	94	184	4.5
112A	32.5356	-114.5804	5.16	0.216	0.239	0.189	27.1	29.7	24.5	40.2	237	87	43.5
PFO	33.6060	-116.4544	1.05	0.076	0.111	0.041	33.9	40.5	27.3	34.6	79	1275	7.9
TFRD	33.4948	-116.6022	2.64	0.105	0.140	0.072	-136.8	-126.7	-146.8	83.1	22	1000	20.6
TPFO	33.6060	-116.4544	1.05	0.083	0.111	0.060	37.4	42.7	32.0	18.0	161	1275	7.9
V03C	36.0214	-121.2356	3.22	0.316	0.350	0.283	-128.4	-126.6	-130.2	34.2	188	336	25.2
V04C	35.6360	-120.8699	1.41	0.241	0.281	0.210	29.7	32.5	26.9	34.9	267	431	8.0
V05C	35.8667	-119.9028	0.64	0.286	0.867	0.041	62.6	113.1	12.2	67.9	11	118	3.8
V11A	35.8384	-115.4305	1.17	0.137	0.155	0.122	53.8	57.7	49.8	21.2	366	1117	7.8
V12A	35.7266	-114.8511	2.34	0.074	0.088	0.063	-45.3	-39.3	-51.3	25.1	272	1098	17.4
W12A	35.3010	-114.8701	3.63	0.153	0.169	0.131	125.4	128.2	122.6	11.9	457	775	28.6
Y12C	33.7503	-114.5238	1.35	0.075	0.085	0.067	124.4	128.4	120.4	13.8	907	196	10.0
BAK	35.3444	-119.1044	3.93	0.244	0.315	0.150	18.7	24.5	12.9	71.5	43	116	29.1
BBR	34.2623	-116.9208	0.53	0.157	0.172	0.143	-28.0	-25.9	-30.2	15.2	744	2069	2.1
BC3	33.6552	-115.4537	1.88	0.079	0.095	0.065	98.6	103.4	93.8	28.0	471	1137	13.5

BEL	34.0006	-115.9982	1.64	0.101	0.113	0.091	109.1	112.2	106.1	14.1	634	1388	11.4
BFS	34.2388	-117.6585	2.81	0.133	0.143	0.125	66.0	68.1	64.0	14.1	636	1312	23.0
CIA	33.4019	-118.4150	1.58	0.137	0.160	0.116	39.4	43.9	35.0	13.9	355	477	10.7
DAN	34.6375	-115.3811	4.04	0.133	0.148	0.120	113.9	117.7	110.1	14.5	583	428	33.2
DEC	34.2535	-118.3338	2.29	0.194	0.213	0.174	13.5	15.8	11.3	16.5	538	519	18.2
DVT	32.6591	-116.1006	3.52	0.123	0.140	0.106	-90.9	-85.5	-96.4	24.4	239	881	26.7
EDW2	34.8811	-117.9939	1.82	0.113	0.126	0.098	-0.6	2.3	-3.5	24.4	650	772	13.2
FMP	33.7126	-118.2938	1.35	0.459	0.495	0.432	61.2	62.8	59.5	35.7	466	89	9.0
GLA	33.0515	-114.8271	1.23	0.109	0.125	0.095	43.5	45.6	41.3	14.1	689	1169	9.5
GMR	34.7846	-115.6599	1.58	0.051	0.066	0.037	39.4	46.1	32.7	20.3	423	1326	10.9
GSC	35.3018	-116.8057	0.47	0.149	0.165	0.138	99.6	102.9	96.3	14.6	567	1000	2.4
HEC	34.8294	-116.3350	3.75	0.122	0.130	0.112	-99.6	-97.1	-102.1	14.7	716	920	29.3
ISA	35.6628	-118.4740	6.56	0.067	0.074	0.061	87.3	89.8	84.8	15.1	647	873	56.8
LGU	34.1082	-119.0659	0.29	0.138	0.158	0.114	-25.2	-19.8	-30.6	25.2	335	416	0.1
LRL	35.4795	-117.6821	3.11	0.076	0.089	0.063	-5.3	-1.2	-9.5	21.7	598	1340	24.1
MPM	36.0580	-117.4890	3.52	0.082	0.095	0.071	166.0	169.5	162.6	11.0	808	1839	25.8
MPP	34.8885	-119.8136	0.82	0.307	0.336	0.282	36.9	38.2	35.5	14.7	524	1739	4.1
NEE	34.8249	-114.5994	3.46	0.067	0.083	0.055	-139.1	-133.0	-145.2	15.0	559	170	27.9
PKD	35.9452	-120.5416	2.58	0.296	0.314	0.272	53.1	55.3	50.9	32.7	244	583	15.0
RCT	36.3052	-119.2438	3.46	0.272	0.288	0.256	62.2	63.7	60.7	11.3	743	107	28.8
RRX	34.8753	-116.9968	4.51	0.221	0.241	0.205	-134.0	-132.1	-135.8	10.2	544	676	37.4
SBC	34.4408	-119.7149	0.47	0.205	0.230	0.174	3.8	7.7	-0.0	32.1	221	94	0.2
SDP	34.5655	-120.5014	0.88	0.258	0.357	0.179	126.5	132.8	120.2	70.0	48	631	0.6
SHO	35.8995	-116.2753	2.64	0.198	0.209	0.188	67.3	69.2	65.4	14.9	880	451	19.8
SMM	35.3142	-119.9958	5.27	0.228	0.254	0.206	-134.4	-132.3	-136.5	22.3	448	599	43.4
SWS	32.9451	-115.7999	0.53	0.343	0.369	0.313	-141.8	-139.6	-144.0	14.7	416	140	0.0
TUQ	35.4358	-115.9239	1.41	0.096	0.109	0.084	28.1	30.8	25.3	14.1	701	1350	9.4
USC	34.0192	-118.2863	1.58	0.362	0.443	0.271	-153.2	-146.6	-159.9	78.0	36	58	2.2
VES	35.8409	-119.0847	3.16	0.268	0.297	0.242	58.4	61.0	55.8	20.0	432	154	27.1
CWC	36.4399	-118.0802	0.64	0.106	0.123	0.098	36.8	39.9	33.8	21.7	362	1595	3.9
FUR	36.4670	-116.8632	0.06	0.087	0.101	0.060	-111.8	-106.5	-117.2	15.1	665	-37	0.0
GRA	36.9961	-117.3662	2.99	0.219	0.253	0.227	-129.0	-127.5	-130.4	27.1	583	689	24.4
IRM	34.1574	-115.1451	0.59	0.089	0.100	0.075	73.9	78.6	69.2	13.0	568	567	3.7
JCS	33.0859	-116.5959	0.88	0.151	0.192	0.099	9.5	16.4	2.6	66.7	57	1264	6.2
KCC	37.3236	-119.3187	7.09	0.086	0.098	0.078	51.7	55.1	48.4	19.6	326	888	65.7
MLAC	37.6302	-118.8361	1.82	0.790	0.760	0.483	-21.4	-14.9	-28.0	77.5	66	2162	13.0
OSI	34.6145	-118.7235	0.59	0.116	0.134	0.105	97.0	100.6	93.4	25.5	481	718	3.7
PACP	37.0080	-121.2870	2.93	0.163	0.182	0.138	67.5	72.0	63.0	39.7	297	844	22.9
TIN	37.0542	-118.2301	3.40	0.267	0.280	0.250	83.9	85.7	82.2	13.3	681	1197	27.9
TPNV	36.9488	-116.2495	5.27	0.166	0.193	0.158	-45.6	-42.5	-48.7	21.7	302	1600	46.8
ASBS	33.6208	-116.4664	1.52	0.073	0.124	0.037	17.8	29.9	5.7	39.9	82	1400	12.0
BZN	33.4915	-116.6670	3.98	0.114	0.122	0.107	-87.5	-85.3	-89.7	6.3	1401	1301	32.2
CPE	32.8889	-117.1051	0.47	0.117	0.128	0.105	-71.1	-67.2	-75.0	13.9	840	150	3.5
CRY	33.5654	-116.7373	0.76	0.117	0.128	0.107	32.7	35.0	30.4	9.7	2147	1128	5.0

ELKS	33.5813	-116.4496	3.34	0.072	0.119	0.037	-126.0	-119.8	-132.2	37.5	155	1169	27.7
FLV2	32.9114	-117.0619	9.02	0.083	0.314	0.033	-60.6	-14.9	-106.3	90.0	13	278	87.2
FRD	33.4947	-116.6022	1.70	0.113	0.125	0.101	32.9	34.9	30.9	5.6	1850	1164	12.9
GLA	33.6014	-116.4781	1.11	0.130	0.189	0.078	26.7	35.1	18.3	29.3	121	1169	8.4
GLAC	33.6014	-116.4781	1.00	0.112	0.204	0.065	14.6	25.7	3.5	32.2	86	1169	7.5
HWB	33.0262	-116.9596	1.76	0.101	0.132	0.080	61.4	68.8	53.9	17.6	445	478	15.4
KNW	33.7141	-116.7119	3.98	0.100	0.107	0.093	-40.3	-38.2	-42.4	5.7	1835	1507	33.4
LVA2	33.3516	-116.5615	0.70	0.128	0.142	0.113	48.0	51.2	44.8	7.1	1824	1435	4.1
MONP	32.8927	-116.4225	1.70	0.133	0.142	0.123	88.1	91.2	85.0	6.2	1683	1920	12.9
MONP2	32.8920	-116.4223	1.70	0.134	0.149	0.122	87.6	91.0	84.33	9.1	1062	1875	12.9
PFO	33.6117	-116.4594	1.05	0.089	0.099	0.077	40.2	42.7	37.6	4.8	1575	1275	7.9
RDM	33.6300	-116.8478	0.70	0.157	0.168	0.149	32.7	34.2	31.2	4.8	2072	1365	4.5
SCI2	32.9150	-118.4879	1.05	0.192	0.237	0.123	-129.2	-121.7	-136.6	32.5	308	486	6.9
SCV1	33.6118	-116.4597	1.00	0.128	0.215	0.066	69.7	81.6	57.8	44.3	79	1268	7.5
SCV2	33.6118	-116.4597	0.94	0.107	0.163	0.060	61.4	74.7	48.1	44.3	82	1268	6.9
SHUM	33.6327	-116.4445	3.87	0.086	0.114	0.056	-97.6	-88.1	-107.1	55.4	73	1195	33.5
SIO5	32.8407	-117.2497	0.82	0.232	0.294	0.184	-104.3	-93.7	-114.9	82.6	26	217	5.9
SMER	33.4577	-117.1708	2.17	0.139	0.157	0.127	50.2	52.6	47.8	13.7	1143	356	18.7
SMTC	32.9449	-115.7999	0.47	0.761	1.015	0.466	-166.9	-159.1	-174.7	68.6	49	100	0.1
SND	33.5519	-116.6129	0.64	0.187	0.200	0.178	-60.0	-57.9	-62.0	10.0	1824	1358	3.7
SOL	32.8410	-117.2480	1.70	0.270	0.283	0.258	23.2	24.4	22.0	4.7	2153	245	13.6
STS2	33.6118	-116.4597	0.47	0.093	0.129	0.057	47.8	58.5	37.1	35.1	93	1268	2.7
TRIL	33.6118	-116.4597	1.35	0.131	0.618	0.022	123.8	157.1	90.5	57.0	11	1268	10.6
TRO	33.5234	-116.4257	0.59	0.210	0.219	0.199	30.5	31.9	29.1	5.0	1719	2628	2.3
WMC	33.5736	-116.6747	2.87	0.143	0.154	0.131	-145.5	-144.3	-146.8	7.8	1663	1271	22.0
YAQ	33.1666	-116.3539	3.11	0.108	0.123	0.088	-99.3	-94.4	-104.2	14.1	348	430	25.3
A01	32.5780	-116.9214	1.17	0.153	0.262	0.036	62.8	76.9	48.6	63.8	95	194	9.4
A02	32.5779	-116.8472	1.76	0.190	0.336	0.065	84.1	103.6	64.6	39.2	70	897	13.8
A03	32.5693	-116.7741	0.64	0.120	0.201	0.048	27.5	36.0	19.0	73.3	106	133	5.1
A04	32.5749	-116.7101	1.99	0.093	0.140	0.045	59.2	73.0	45.4	61.6	114	665	15.9
A05	32.5918	-116.6595	1.70	0.075	0.107	0.041	64.8	78.1	51.4	44.1	131	500	13.6
A06	32.6060	-116.6090	1.58	0.146	0.216	0.085	37.2	44.5	29.8	64.7	123	708	12.4
A07	32.6330	-116.5561	1.76	0.132	0.193	0.096	66.0	77.4	54.6	66.6	114	925	13.9
A07A	32.6183	-116.5713	1.70	0.122	0.172	0.085	56.2	70.1	42.3	70.8	70	878	13.4
A08	32.6290	-116.4688	1.41	0.150	0.255	0.074	64.0	76.2	51.8	80.9	84	793	10.8
A09	32.6563	-116.4201	1.41	0.094	0.117	0.074	63.3	71.7	54.9	40.8	154	923	10.7
A10	32.6645	-116.3386	0.12	0.158	0.308	0.044	-109.3	-85.7	-132.9	69.9	80	1091	-0.2
A11	32.6712	-116.3028	4.51	0.117	0.147	0.093	-111.1	-105.7	-116.6	40.7	150	1138	37.1
A12	32.6861	-116.2562	1.35	0.122	0.170	0.084	71.0	81.0	60.9	37.2	138	1036	9.9
A13	32.6564	-116.1870	1.29	0.110	0.189	0.057	54.0	73.5	34.5	65.8	61	821	9.4
A14	32.7101	-116.1247	3.34	0.140	0.164	0.107	-106.7	-100.5	-112.8	68.6	114	520	25.1
A15	32.7392	-116.0446	0.35	0.247	0.294	0.200	38.4	42.2	34.6	31.9	211	225	2.0
A16	32.7497	-116.0120	4.16	0.209	0.323	0.129	-129.4	-119.2	-139.7	51.9	71	135	32.8
A17	32.7695	-115.9339	3.40	0.183	0.226	0.145	-43.7	-37.7	-49.7	49.1	173	80	26.3

A18	32.7908	-115.8649	1.05	0.256	0.296	0.220	117.9	122.8	112.9	31.2	206	34	2.7
A19	32.8162	-115.7915	0.06	0.082	0.154	0.033	-100.5	-77.6	-123.5	45.2	136	-2	0.0
A20	32.8203	-115.7451	0.35	0.135	0.219	0.062	-79.7	-65.8	-93.6	64.9	67	-20	0.0
A26	32.9458	-115.4065	0.06	0.057	0.379	0.013	-117.2	-51.9	-182.5	75.0	35	-25	0.0
A26A	32.9520	-115.3977	0.47	0.031	0.099	0.015	62.5	118.7	6.3	75.0	30	-26	0.0
A29	32.9628	-115.2304	1.41	0.299	0.488	0.193	-145.1	-133.5	-156.7	85.2	48	22	0.4
A30	32.9731	-115.1731	1.00	0.329	0.441	0.233	-148.3	-135.8	-160.9	64.8	65	63	0.3
A32	32.9954	-115.0719	1.52	0.456	0.489	0.421	20.1	21.8	18.4	52.2	266	47	5.3
A33	33.0245	-115.0346	1.46	0.136	0.188	0.092	30.6	37.3	23.8	68.4	216	150	10.7
A34	33.0498	-114.9879	1.46	0.093	0.157	0.039	67.8	78.0	57.6	74.1	186	211	10.7
A35	33.0843	-114.9342	1.64	0.078	0.144	0.037	64.9	78.7	51.2	68.5	184	307	12.1
A36	33.1191	-114.8792	1.58	0.094	0.128	0.068	74.5	83.5	65.4	31.8	242	330	11.6
A38	33.1643	-114.8137	2.99	0.121	0.153	0.095	25.8	30.5	21.2	44.2	262	257	23.5
A39	33.2211	-114.7636	0.53	0.109	0.134	0.088	26.9	33.4	20.3	21.0	256	167	3.6
A40	33.2457	-114.7157	0.35	0.163	0.192	0.129	-3.9	1.2	-9.1	52.0	309	89	2.3
B01	32.7444	-115.3008	12.54	0.271	1.052	0.022	24.5	57.6	-8.5	88.5	13	2	88.5
B02	32.9798	-115.4808	0.18	0.255	1.171	0.043	-94.4	-54.3	-134.4	77.9	12	-42	0.0
M01	32.1731	-116.7064	1.64	0.178	0.298	0.082	49.4	69.1	29.6	78.2	42	266	12.3
M02	32.2469	-116.0042	0.12	0.425	0.620	0.295	-141.1	-124.2	-158.1	76.7	69	1513	-0.7
N01	33.5477	-114.9121	0.47	0.456	0.550	0.380	-22.9	-15.3	-30.6	64.8	105	145	3.2
S01	32.7721	-114.3323	1.23	0.184	0.237	0.138	42.6	48.9	36.3	61.4	94	58	8.9
002	34.0552	-118.5819	1.88	0.394	0.545	0.312	39.2	44.5	33.9	56.0	25	53	12.8
003	34.0577	-118.5838	0.76	0.434	0.652	0.269	177.1	189.0	165.3	79.9	15	61	3.7
006	34.0894	-118.5900	0.41	0.343	0.455	0.233	-9.7	1.8	-21.1	88.6	15	396	1.3
007	34.0977	-118.5990	0.70	0.399	0.512	0.283	31.6	37.3	25.8	64.7	18	268	2.6
008	34.1047	-118.5899	2.81	0.313	0.502	0.220	37.4	51.3	23.6	80.6	18	312	22.1
010	34.1246	-118.5894	0.64	0.308	0.423	0.211	-4.2	6.3	-14.7	90.0	13	369	2.5
012	34.1417	-118.5564	0.41	0.313	0.367	0.252	-21.8	-16.7	-26.9	75.4	40	340	0.7
014	34.1588	-118.5537	0.47	0.355	0.640	0.171	-22.0	0.5	-44.5	90.0	14	297	0.6
025	34.2583	-118.5466	0.70	0.307	0.440	0.181	71.1	85.2	57.0	84.6	15	295	1.2
027	34.2760	-118.5434	1.23	0.258	0.607	0.112	25.5	43.1	7.9	88.6	10	378	4.4
046	34.4477	-118.5322	1.29	0.276	0.562	0.187	-87.0	-69.1	-104.9	75.6	15	395	8.6
048	34.4666	-118.5305	6.80	0.312	0.484	0.188	48.0	61.9	34.1	88.6	14	450	62.0
051	34.4924	-118.5407	0.64	0.431	0.712	0.193	-131.2	-119.0	-143.5	88.6	14	412	4.1
054	34.5235	-118.5316	2.70	0.194	0.270	0.110	42.3	52.0	32.5	64.9	43	445	21.3
055	34.5321	-118.5282	2.87	0.136	0.186	0.089	-31.2	-21.0	-41.5	41.3	71	482	23.1
058	34.5570	-118.4991	0.23	0.169	0.296	0.075	-20.6	-7.8	-33.4	79.0	23	543	1.1
060	34.5700	-118.4643	0.47	0.275	0.362	0.196	-11.2	-4.3	-18.1	68.7	41	590	3.0
061	34.5786	-118.4600	1.58	0.179	0.225	0.130	31.1	36.2	26.0	30.4	117	622	12.6
065	34.6139	-118.4342	1.29	0.124	0.214	0.058	-27.4	-7.6	-47.2	90.0	22	814	9.8
066	34.6175	-118.4406	2.75	0.175	0.280	0.105	60.1	71.8	48.3	45.2	26	817	22.0
067	34.6305	-118.4433	0.88	0.212	0.565	0.052	-170.5	-144.2	-196.7	86.1	16	957	5.9
069	34.6535	-118.4796	3.28	0.067	0.166	0.033	-145.4	-124.7	-166.2	73.2	20	885	26.0
071	34.6698	-118.4561	1.64	0.144	0.207	0.102	11.2	23.5	-1.2	75.7	23	1012	12.0

072	34.6763	-118.4531	2.93	0.194	0.510	0.055	51.6	79.6	23.5	83.8	15	982	22.6
073	34.6874	-118.4556	9.90	0.137	0.222	0.080	138.4	156.0	120.8	90.0	10	1071	93.8
075	34.7086	-118.4668	2.58	0.171	0.443	0.102	28.0	49.5	6.4	90.0	10	1076	19.2
076	34.7149	-118.4567	2.75	0.128	0.172	0.090	11.6	19.4	3.8	64.3	37	985	20.7
079	34.7539	-118.4661	4.16	0.246	0.352	0.151	-125.7	-119.8	-131.6	59.6	30	867	33.8